

DIONE LED

LED GO!

LED |  | IP65 | IK10

TECHNICAL PARAMETERS

Ingress protection:	IP65;
Impact resistance:	IK10;
Nominal power [W]:	12.00; 18.00;
Luminous flux [lm]*:	1240; 1800;
Colour temperature [K]:	4000;
SDCM:	≤ 6;
Energy efficiency class:	A;
Material of the body:	ABS;
Diffuser material:	PC;
Diffuser type:	OPAL;
Mounting version:	surface;
Dimensions [mm]:	∅340/115;

*Tolerance +/- 10%

CHARACTERISTICS

Designed from scratch surface mounted, round LED luminaire with integrated, energy saving LED GO! panel. The fitting introduces new solutions to improve the light distribution and balance of the temperatures. It is characterized by high lighting efficiency and very high IP65 ingress protection. Its base and ring are made of UV-resistant material. Specially profiled diffuser made of vandal-resistant PC allows to keep the highest degree of impact resistance IK10. It uses a number of proven solutions affecting the speed and ease of the assembly (suspension kit for the diffuser, readiness for through wiring) and component security: diffuser integrated with LED panel.

The fitting is offered in RCR version:

- sensor used to detect motion; for detection uses microwaves (active sensor).

APPLICATION

Surface-mounted wall or ceiling luminaire intended for indoor use (utility rooms, staircases, circulation routes). It is also available in a version with an RF motion detector which is especially recommended for use in spaces open to the public.

DIONE LED

LED GO!

AVAILABLE TYPES

[Click >> index, to see details](#)

DIONE LED 12W

Nominal power [W]	Colour temperature [K]	Luminous flux [lm]*	Diffuser type	Energy efficiency class	Motion sensor	Index
12	4000	1240	OPAL	A		>> 950001
12	4000	1240	OPAL	A	yes	>> 950018

DIONE LED 18W

Nominal power [W]	Colour temperature [K]	Luminous flux [lm]*	Diffuser type	Energy efficiency class	Motion sensor	Index
18	4000	1800	OPAL	A		>> 950025
18	4000	1800	OPAL	A	yes	>> 950032

*Tolerance +/- 10%

The company reserves the right to make design changes or upgrades in the presented product. Product data sheet does not constitute an offer.

Revision date: 2019-04-08



Lena Lighting S.A.
ul. Kórnicka 52
63-000 Środa Wielkopolska

tel. +48 61 28 60 300
e-mail: office@lenalighting.pl
www.lenalighting.pl



The luminaire complies with the EU RoHS Directive 2011/65/UE



This product is a subject to electric and electronic waste equipment regulations (WEEE).

