

## SATURN LED

LED GO!



220-240 V | LED |  | IP54 | IK10 | 

### TECHNICAL PARAMETERS

Impact resistance:	IK10;
Nominal power [W]:	9.00; 10.00; 14.00; 18.00
Luminous flux [lm]*:	800 - 1750
Colour temperature [K]:	3000; 4000;
Colour rendering index:	>80;
SDCM:	≤ 3;
Electrical protection class:	I; II;
Energy efficiency class:	A;
Material of the body:	PP;
Diffuser type:	OPAL;
Mounting version:	surface;
Dimensions [mm]:	∅335/110;

\*Tolerance +/- 10%

### CHARACTERISTICS

Surface mounted, round LED light fixture with a high luminous flux, high ingress protection class IP54 and an integrated energy-saving light source LED GO!. Base and ring made of UV-resistant plastic. Specially formed diffuser made of impact resistant PC ensures the highest impact resistance of the fitting (IK10). Available ring colors; optional equipment: radio motion sensor (RCR) or PIR sensor.

### APPLICATION

Luminaire suited for surface mounting on ceilings or walls, intended for outdoor (façade lighting) or indoor use (rooms with high humidity, passageways). Available option with a radio motion sensor (RCR) – particularly well suited for passageways and usable rooms.

## SATURN LED

LED GO!

## AVAILABLE TYPES

[Click >> index, to see details](#)

## SATURN LED 9W

Nominal power [W]	Colour temperature [K]	Luminous flux [lm]*	Diffuser type	Motion sensor	Corridor function	DIMM DALI	DIMM 1-10V	Emergency lighting [h]	Autotest	Vandalproof	Index
9	3000	800	OPAL								<a href="#">&gt;&gt; 063596/PA</a>
9	4000	870	OPAL								<a href="#">&gt;&gt; 063503/PA</a>
9	4000	870	OPAL			yes					<a href="#">&gt;&gt; 068317/PA</a>
9	3000	800	OPAL	yes							<a href="#">&gt;&gt; 185762/PA</a>
9	4000	870	OPAL	yes							<a href="#">&gt;&gt; 185151/PA</a>
9	3000	800	OPAL	yes	yes						<a href="#">&gt;&gt; 069987/PA</a>
9	4000	870	OPAL	yes	yes						<a href="#">&gt;&gt; 069994/PA</a>
9	3000	800	OPAL					1	yes		<a href="#">&gt;&gt; 069888/PA</a>
9	4000	870	OPAL					1			<a href="#">&gt;&gt; 069017/PA</a>
9	4000	870	OPAL					1	yes		<a href="#">&gt;&gt; 069048/PA</a>
9	4000	870	OPAL					2			<a href="#">&gt;&gt; 069024/PA</a>
9	4000	870	OPAL					2	yes		<a href="#">&gt;&gt; 069055/PA</a>
9	3000	800	OPAL					3			<a href="#">&gt;&gt; 069871/PA</a>
9	3000	800	OPAL					3			<a href="#">&gt;&gt; 185625/PA</a>
9	4000	870	OPAL					3			<a href="#">&gt;&gt; 069031/PA</a>
9	4000	870	OPAL					3			<a href="#">&gt;&gt; 185618/PA</a>
9	4000	870	OPAL					3	yes		<a href="#">&gt;&gt; 069062/PA</a>
9	3000	800	OPAL	yes				1			<a href="#">&gt;&gt; 068256/PA</a>
9	3000	800	OPAL	yes				1	yes		<a href="#">&gt;&gt; 068287/PA</a>
9	4000	870	OPAL	yes				1			<a href="#">&gt;&gt; 069314/PA</a>
9	4000	870	OPAL	yes				2			<a href="#">&gt;&gt; 069321/PA</a>
9	4000	870	OPAL	yes				2	yes		<a href="#">&gt;&gt; 069352/PA</a>
9	4000	870	OPAL	yes				3			<a href="#">&gt;&gt; 069338/PA</a>
9	4000	870	OPAL	yes				3	yes		<a href="#">&gt;&gt; 069369/PA</a>

## SATURN LED 10W

Nominal power [W]	Colour temperature [K]	Luminous flux [lm]*	Diffuser type	Motion sensor	Corridor function	DIMM DALI	DIMM 1-10V	Emergency lighting [h]	Autotest	Vandalproof	Index
10	3000	840	OPAL	yes	yes						<a href="#">&gt;&gt; 205484/HV</a>
10	4000	840	OPAL	yes	yes						<a href="#">&gt;&gt; 205491/HV</a>
10	3000	840	OPAL								<a href="#">&gt;&gt; 184086/HV</a>
10	4000	840	OPAL								<a href="#">&gt;&gt; 184093/HV</a>
10	3000	840	OPAL	yes							<a href="#">&gt;&gt; 184123/HV</a>
10	4000	840	OPAL	yes							<a href="#">&gt;&gt; 184130/HV</a>

## SATURN LED 14W

Nominal power [W]	Colour temperature [K]	Luminous flux [lm]*	Diffuser type	Motion sensor	Corridor function	DIMM DALI	DIMM 1-10V	Emergency lighting [h]	Autotest	Vandalproof	Index
14	3000	1300	OPAL	yes	yes						<a href="#">&gt;&gt; 205507/HV</a>
14	4000	1400	OPAL	yes	yes						<a href="#">&gt;&gt; 205514/HV</a>
14	3000	1300	OPAL								<a href="#">&gt;&gt; 184109/HV</a>
14	4000	1400	OPAL								<a href="#">&gt;&gt; 184116/HV</a>
14	3000	1300	OPAL	yes							<a href="#">&gt;&gt; 184147/HV</a>
14	4000	1400	OPAL	yes							<a href="#">&gt;&gt; 184154/HV</a>
14	3000	1300	OPAL								<a href="#">&gt;&gt; 185342/PA</a>

## SATURN LED

LED GO!

Nominal power [W]	Colour temperature [K]	Luminous flux [lm]*	Diffuser type	Motion sensor	Corridor function	DIMM DALI	DIMM 1-10V	Emergency lighting [h]	Autotest	Vandalproof	Index
14	3000	1300	OPAL			yes					<a href="#">&gt;&gt; 068195/PA</a>
14	3000	1300	OPAL				yes				<a href="#">&gt;&gt; 068218/PA</a>
14	3000	1300	OPAL							yes	<a href="#">&gt;&gt; 181894/PA</a>
14	4000	1400	OPAL								<a href="#">&gt;&gt; 185397/PA</a>
14	4000	1400	OPAL								<a href="#">&gt;&gt; 068997/PA</a>
14	4000	1400	OPAL			yes					<a href="#">&gt;&gt; 068201/PA</a>
14	4000	1400	OPAL				yes				<a href="#">&gt;&gt; 068225/PA</a>
14	4000	1400	OPAL		yes						<a href="#">&gt;&gt; 088780/PA</a>
14	4000	1400	OPAL								<a href="#">&gt;&gt; 184161/PA</a>
14	4000	1400	OPAL							yes	<a href="#">&gt;&gt; 068904/PA</a>
14	4000	1400	OPAL					3	yes	yes	<a href="#">&gt;&gt; 068713/PA</a>
14	3000	1300	OPAL	yes							<a href="#">&gt;&gt; 185922/PA</a>
14	3000	1300	OPAL	yes	yes						<a href="#">&gt;&gt; 068805/PA</a>
14	3000	1300	OPAL	yes	yes						<a href="#">&gt;&gt; 068812/PA</a>
14	3000	1300	OPAL	yes							<a href="#">&gt;&gt; 068966/PA</a>
14	4000	1400	OPAL	yes							<a href="#">&gt;&gt; 063404/PA</a>
14	4000	1400	OPAL	yes	yes						<a href="#">&gt;&gt; 068799/PA</a>
14	4000	1400	OPAL	yes	yes						<a href="#">&gt;&gt; 068706/PA</a>
14	4000	1400	OPAL	yes							<a href="#">&gt;&gt; 068959/PA</a>
14	4000	1400	OPAL	yes						yes	<a href="#">&gt;&gt; 068249/PA</a>
14	4000	1400	OPAL					1			<a href="#">&gt;&gt; 185403/PA</a>
14	4000	1400	OPAL					2			<a href="#">&gt;&gt; 068898/PA</a>
14	3000	1300	OPAL					3			<a href="#">&gt;&gt; 069703/PA</a>
14	3000	1300	OPAL					3			<a href="#">&gt;&gt; 068690/PA</a>
14	3000	1300	OPAL					3	yes		<a href="#">&gt;&gt; 069734/PA</a>
14	4000	1400	OPAL					3			<a href="#">&gt;&gt; 068881/PA</a>
14	4000	1400	OPAL					3			<a href="#">&gt;&gt; 068683/PA</a>
14	4000	1400	OPAL			yes		3	yes		<a href="#">&gt;&gt; 088759/PA</a>
14	4000	1400	OPAL	yes				1			<a href="#">&gt;&gt; 069376/PA</a>
14	4000	1400	OPAL	yes				1	yes		<a href="#">&gt;&gt; 069406/PA</a>
14	4000	1400	OPAL	yes				2			<a href="#">&gt;&gt; 069383/PA</a>
14	4000	1400	OPAL	yes				2	yes		<a href="#">&gt;&gt; 069413/PA</a>
14	3000	1300	OPAL	yes				3			<a href="#">&gt;&gt; 069499/PA</a>
14	3000	1300	OPAL	yes				3	yes		<a href="#">&gt;&gt; 069840/PA</a>
14	3000	1300	OPAL	yes	yes			3			<a href="#">&gt;&gt; 185991/PA</a>
14	4000	1400	OPAL	yes				3			<a href="#">&gt;&gt; 069390/PA</a>
14	4000	1400	OPAL	yes				3		yes	<a href="#">&gt;&gt; 088766/PA</a>
14	4000	1400	OPAL	yes				3	yes		<a href="#">&gt;&gt; 069420/PA</a>
14	4000	1400	OPAL	yes	yes			3	yes		<a href="#">&gt;&gt; 068423/PA</a>

## SATURN LED 18W

Nominal power [W]	Colour temperature [K]	Luminous flux [lm]*	Diffuser type	Motion sensor	Corridor function	DIMM DALI	DIMM 1-10V	Emergency lighting [h]	Autotest	Vandalproof	Index
18	3000	1650	OPAL								<a href="#">&gt;&gt; 068782/PA</a>
18	3000	1650	OPAL								<a href="#">&gt;&gt; 068829/PA</a>
18	3000	1650	OPAL							yes	<a href="#">&gt;&gt; 068403/PA</a>
18	4000	1750	OPAL								<a href="#">&gt;&gt; 068775/PA</a>
18	4000	1750	OPAL								<a href="#">&gt;&gt; 068836/PA</a>
18	4000	1750	OPAL			yes					<a href="#">&gt;&gt; 103681/PA</a>
18	4000	1750	OPAL							yes	<a href="#">&gt;&gt; 069970/PA</a>
18	3000	1650	OPAL	yes							<a href="#">&gt;&gt; 068744/PA</a>
18	3000	1650	OPAL	yes							<a href="#">&gt;&gt; 068867/PA</a>

## SATURN LED


LED GO!

Nominal power [W]	Colour temperature [K]	Luminous flux [lm]*	Diffuser type	Motion sensor	Corridor function	DIMM DALI	DIMM 1-10V	Emergency lighting [h]	Autotest	Vandalproof	Index
18	3000	1650	OPAL	yes	yes						>> <a href="#">068942/PA</a>
18	3000	1650	OPAL	yes	yes						>> <a href="#">068911/PA</a>
18	4000	1750	OPAL	yes							>> <a href="#">068737/PA</a>
18	4000	1750	OPAL	yes							>> <a href="#">068874/PA</a>
18	4000	1750	OPAL	yes						yes	>> <a href="#">068478/PA</a>
18	4000	1750	OPAL	yes	yes						>> <a href="#">068928/PA</a>
18	4000	1750	OPAL	yes	yes						>> <a href="#">068935/PA</a>
18	4000	1750	OPAL	yes	yes					yes	>> <a href="#">068386/PA</a>
18	3000	1650	OPAL	yes	yes			3			>> <a href="#">088995/PA</a>
18	3000	1650	OPAL	yes				3	yes		>> <a href="#">069611/PA</a>
18	4000	1750	OPAL					1			>> <a href="#">069079/PA</a>
18	4000	1750	OPAL					1	yes		>> <a href="#">069109/PA</a>
18	4000	1750	OPAL					2			>> <a href="#">069086/PA</a>
18	4000	1750	OPAL					2	yes		>> <a href="#">069116/PA</a>
18	3000	1650	OPAL					3			>> <a href="#">069529/PA</a>
18	3000	1650	OPAL					3	yes		>> <a href="#">069550/PA</a>
18	4000	1750	OPAL					3			>> <a href="#">069093/PA</a>
18	4000	1750	OPAL					3	yes	yes	>> <a href="#">069123/PA</a>
18	4000	1750	OPAL			yes		3			>> <a href="#">103698/PA</a>
18	4000	1750	OPAL	yes				1			>> <a href="#">069437/PA</a>
18	4000	1750	OPAL	yes				1	yes		>> <a href="#">069468/PA</a>
18	4000	1750	OPAL	yes				2			>> <a href="#">069444/PA</a>
18	4000	1750	OPAL	yes				2	yes		>> <a href="#">069475/PA</a>
18	3000	1650	OPAL	yes				3			>> <a href="#">069581/PA</a>
18	4000	1750	OPAL	yes				3			>> <a href="#">069451/PA</a>
18	4000	1750	OPAL	yes				3	yes		>> <a href="#">069482/PA</a>

\*Tolerance +/- 10%

## LUMINOUS INTENSITY DISTRIB. CURVE

SATURN LED 18W 4000K



The company reserves the right to make design changes or upgrades in the presented product. Product data sheet does not constitute an offer.

Revision date: 2019-05-30



Lena Lighting S.A.  
ul. Kórnicka 52  
63-000 Środa Wielkopolska

tel. +48 61 28 60 300  
e-mail: office@lenalighting.pl  
www.lenalighting.pl



The luminaire complies with the EU RoHS Directive 2011/65/UE



This product is a subject to electric and electronic waste equipment regulations (WEEE).



65/2015; 99/2013